

## VS291



- 2-Port Video Switch
- ➔ The VS291 is a video switch with 2 ports. It allows 2 independent computers to display their video outputs on a single monitor. Therefore, users will not need to buy monitors for each computer additionally.



## Features

- Displays the video output of two computers on a single monitor or projector.
- Computer selection via pushbutton switch.
- Electronic switching for greater reliability and durability.
- Easy Installation - No Software Required.
- Long distance transmission - up to 10m
- High resolution video - up to 1920 x 1440.
- DDC, DDC2, DDC2B Compatible.
- Supports VGA, XGA, SVGA, UXGA and Multisync monitors.
- OS Support: Windows 2000, Windows XP, Linux, Mac and Sun

## Specification

Computer Connections		2
Port Selection		Pushbutton
Connectors	Video In	2 x HDB-15 Female (Blue)

	Video Out	1 x HDB-15 Female (Blue)
	Power	1 x DC Jack
Switches	Port	1 x Pushbutton
LEDs	Selected	2
Video		1920 x 1440 @ 60Hz
Signal Range		Up to 10m (33')
Power Consumption		DC9V, 0.9W (Max.)
Environment	Operating Temp.	0-50°C
	Storage Temp.	-20-60°C
	Humidity	0-80% RH, Non-condensing
Physical Properties	Housing	Plastic/Metal
	Weight	0.15 kg
	Dimensions ( L x W x H )	12.00 x 6.50 x 4.40 cm

## Diagram



---

**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2014 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.

---